



Torque setting adjustable per 10 Nm



1.400 - 7.000 Nm

MAX SPEED 2 RPM

AUTO REACTION ARM BACK OFF

BRUSHLESS MOTOR

DOUBLE SAFETY TRIGGER

OPTION

SPECIFICATIONS


- **TORQUE RANGE:** 1.400 - 7.000 Nm.
- **SPEED:** 2 RPM.
- **WEIGHT:** 9,3 Kg with battery, excluding reaction arm and impact socket.
- **SQUARE DRIVE:** 1,5 inch square drive.
- **BATTERY:** Two 18V Li-ion batteries 5.2Amp/93 Wh.
- **NOISE LEVEL:** Maximum 65 dB.
- **REPEATABILITY ON SAME JOINT*:** +/- 3%.

*Test results from RAD's certified calibration lab

SUITABLE REACTION ARMS

| Standard | Deep socket | Double ended |
|-----------|--------------------|----------------|
| | | |
| PN: 25286 | PN: 26118 | PN: 26119 |
| Blank | Double ended blank | Safety sliding |
| | | |
| PN: 26120 | PN: 26121 | On request |

DIMENSIONS IN MM



TOOL KIT INCLUDING

- B-RAD Offset 7000
- Standard reaction arm (PN: 25286)
- Retaining ring (PN: 10032)
- Two batteries with quick charger
- Calibration certificate
- Usermanual
- Safety instructions on USB stick
- Weatherproof storage case



ACCESSOIRES

| Product | Part number |
|---------------------------------------|-------------|
| 8,0 Ah LiHD battery (144 wh) (option) | 200473 |
| Double Safety Trigger (option) | 25949 |

