

Clean and leak-free hydraulic systems - It's our mission












Clean and leak-free hydraulic systems

- It's our mission



There Are Two Main Sources:

Poppet valve-type quick connect couplings

- 5-200 ml (0.17-6.8 oz.) spillage during each disconnection
- Cleanliness is difficult to maintain
- Dust caps are not used or are used incorrectly Threaded fittings

TLX Series • The Super-Duty connector with extremely high resilience to surge flows... • The Super-Duty connector with extremely high resilience to surge flows... • The Super-Duty connector with pure and simple robustness... • The Super-Duty connector with pure and simple robustness...

...designated for the toughest construction and

demolition applications

Should we replace all of our screw fittings with WEO Plug-In Fittings? (OEM)

"Approximately 75% of all hydraulic system failures are related to dirt of some kind." (Industrial Technology)

As a general rule, no. CEJN WEO Plug-In fittings are a problem solver, not an overall replacement for screw fittings. Start by using them in applications in which traditional screw fittings have resulted in specific problems such as leakage because of unscrewing, premature hose failures, assembly problems, etc. As you see the important benefits of WEO Plug-In, no doubt you will want to replace more screw fittings with them.







X-Series

- Minimize Contamination of your Hydraulic system
- Spill free disconnection
- High performance








How can I avoid contamination and leakage in my hydraulic system so that I can reduce maintenance costs and downtime, increase the service life of the system and protect the environment?

"CEJN has with its hydraulic range decided to work hard to promote and supply Plug-In fittings and quick connect couplings for clean and leak free hydraulic systems. The core product ranges in this mission are the X-series, Multi-X, TLX and WEO Plug-In. Although today's advanced hydraulic systems place high demands on cleanliness, outdated ISO-A poppet valve-type couplings are still being used on many modern machines. Consequently, a high volume of hydraulic oil is spilled at disconnections worldwide every day resulting in hefty cleanup and replacement oil costs. Subsequently, contaminants can

enter the hydraulic system during connection, reducing the service life of the components as well as the overall system. As an example: A CEJN customer previously plagued with oil spill and leakage on a 14-ton excavator. Since the poppet valve-type couplings routinely spilled at disconnection, over 200 liters (53 gallons) of replacement oil were needed annually for the machine! By using CEJN Flat-Face quick connect couplings the customer improved performance and effectiveness and by saving the 200 liters of oil he got the pay-off quickly."



Copyright © 2018 CEJN AB



Made in Sweden since 1955

We have been producing professional, high-quality and innovative quick connect couplings here at CEJN since our first patented coupling was launched in 1955. CEJN is an independent global niche company with its head office in the heart of Sweden. Over the years we have expanded to 22 locations worldwide and are supplying products and services to virtually every industry segment. At CEJN, we are united by our five core values: safety, environment, quality, innovation and performance. They are our cornerstones and define who we are, how we work, what we believe in and what we stand for.

Contact your local sales office or visit www.cejn.com for more information.

