

## WHY CHOOSING MABI?







MABI, THE REACTIVE AND TECHNICAL MANUFACTURER SINCE 1967

#### **200M2 WORKSHOP**

to manufacture, maintenance and repair.

#### **TECHNICIANS. EXPERIENCED AND CONTINUOUSLY TRAINED**

to answer to the specific requirements of users: fast maintenance and technical assistance.

#### 1000M2 STORAGE AREA

to allow for 80% of shipments within 24 hours.

#### **200 REFERENCES OF MATERIALS**

for the building trade, civil engineering and industry. Strictly selected regarding norms, needs and requirements of the sector.

#### STRONG PARTNERSHIPS WITH OUR CUSTOMERS

to improve our range concerning 5 main areas: ergonomics, safety, performance, profitability and design.

# INGENIOUS SOLUTIONS WHICH ARE PROFITABLE

What makes all the originality of MABI ® products, it is to be interested as much in the user as in the work itself.

That means not only a reliable and performing equipment but as well easy to transport, to use and to maintain.

WHICH RESULTS IN A HIGHER PRODUCTIVITY
AS YOU CAN NOTICE AT THE END OF YOUR WORK.










### MORE THAN 50 YEARS OF INNOVATION

### THE KEY DATES 1967-2019



#### · INNOVATION

Over the years the company focus has been researchs to increase the performance of its equipment and improve the comfort of the user.

#### · EFFICIENCY

In a process of continuous improvement, MABI uses its site experience and technical know-how to improve the application methods.

#### PROFITABILITY

A rigorous selection and complete ranges to save you time and money.



# SCRAP'AIR BENEFITS: a range adapted to each project.





### **MAKE YOUR CHOICE:**



Use the adapted power according to the materials that need to be removed:

#### 15 joules:

Recommended for fragile covering such as wood, stone, friable coats, ... (Scrap'air 24 pages 7 -8 )

#### 25 ioules:

Perfect for buildings renovations, asbestos, glues, tiles and slab removal, ... [Scrap'air 36 pages 9 -10]

#### 30 joules:

Adapted to industrial maintenance : ovens, mixers, truck mixer, ... [Scrap'air 38 pages 11-14]

#### 35 joules:

Suitable for floors stripping as waterproofing removal, excavation, ... (Scrap'air 55 pages 15-18)

### 4 GRIPS

The ergonomic design of the different grips ensures optimal work positions.



### **3 LENGTHS**

The adapted handle length allows comfort during use and a secured handling (short, medium, long and tailor-made handle).



# ANTI-VIBRATION SYSTEMS

The two patented anti-vibration systems, by dissociating head and handle, protect the user from vibration.



ANTI-VIBRATION IN THE NOZZLE HEAD





## WHAT IS YOUR ACTIVITY?

### **LIGHT STRIPPING & DEBURRING**

WOOD / FACADE / TANK / COAT / STONE / FOUNDRY PIECES / ETC...



### SCRAP'AIR 24: Pages 7-8

Frequency: 4750 BLOWS/min Air consumption: 210 L/min

Tools: Ø14 mm

(All insertion tools page 19)

### **BUILDING RENOVATION**

ASBESTOS / TILES / EARTHENWARE / CARPET / LINO / GLUES / ETC ...



### SCRAP'AIR 36: Pages 9-10

Frequency: 3500 BLOWS/min Air consumption: 250 L/min

Tools: Ø14 mm

(All insertion tools page 19)

### INDUSTRIAL STRIPPING

MIXER / TRUCK MIXER / CONVEYOR / MOLDS / OVENS / FOUNDRY LADLE / CONDUIT / PRODUCTION MAINTENANCE / GLUES / RESIN ETC...



#### SCRAP'AIR 38: Pages 11-14

Frequency: 2950 BLOWS/min Air consumption: 280 L/min

Tools: Ø14 mm

(All insertion tools page 19)

### **FLOOR WORKS**

WATERPROOFING / FIRE-RESISTANT COATING / RESIN / EXCAVATION / GRUBBING / FOUNDRY LADLE / REFRACTORY COATING / ETC...



#### SCRAP'AIR 55: Pages 15-18

Frequency: 2250 BLOWS/min Air consumption: 300 L/min

Tools: Ø18 mm

(All insertion tools page 20)

# SCRAP'AIR 24°

## LIGHT STRIPPING

WOOD / FACADE / TANK / COAT / STONE / ETC...

**AIR CONSUMPTION**: 210L/min

TOOL SHANK: HEXAGONAL 14 mm

**POWER**: 15 JOULES

FREQUENCY: 4750 BLOWS/min

PRESSURE: 6-8 BAR

### **\$24 WITHOUT HANDLE**







### **\$24 SHORT VI**



**\$24 SHORT V2** 



# KIT Compact / Peeling & Removing

SCRAP'AIR 24® delivered in a handy-box including:

- 1 delta knife 8 CM sharpened / Ref. 07030142
- 1 chisel 4 CM / Ref. 07030180
- 1 in-line oiler / Ref. 08020061
- 1 oil-can / Ref. 08020020
- 1 protection kit / Ref. 05030024



**V1** 

 07030124
 KIT COMPACT S24 WITHOUT HANDLE

 07030224
 KIT COMPACT S24 HANDLE 20CM

 07070500
 KIT PEELING AND REMOVING S24 V2 SHORT













# SCRAP'AIR 36°

## **BUILDING RENOVATION**

ASBESTOS/TILES/ EARTHENWARE / CARPET / ETC...

**AIR CONSUMPTION**: 250L/min

TOOL SHANK: HEXAGONAL14 mm

POWER: 25 JOULES

FREQUENCY: 3500 BLOWS/min

PRESSURE: 6-8 BAR

### S36 SHORT VI



ANTI-VIBRATION: NOZZLE HEAD WEIGHT: 3.4 KG

**V1** 

LENGTH: 52 CM

### **\$36 SHORT V2**





### **S36 MEDIUM V1**



### **\$36 MEDIUM V2**



## **KIT** Renovation

SCRAP'AIR 36® delivered in a handy-box including:

- 1 delta knife 8 CM / Ref. 07030135
- 1 chisel 4 CM / Ref. 07030180
- 1 pointed chisel / Ref. 07030161
- 1 in-line oiler / Ref. 08020061
- 1 oil-can / Ref. 08020020
- 1 protection kit / Ref. 05030024

	07060015 KIT RENOVATION S36 V1 SHORT
	07070510 KIT RENOVATION S36 V2 SHORT
	07060016 KIT RENOVATION S36 V1 MEDIUM
	07070600 KIT <b>RENOVATION</b> S36 <b>V2</b> MEDIUM
A 160	











10

# SCRAP'AIR 38°

## **INDUSTRIAL STRIPPING**

MIXER / TRUCK MIXER / CONVEYOR / MOLDS / ETC...

AIR CONSUMPTION: 280L/min

TOOL SHANK: HEXAGONAL 14 mm

**POWER**: 30 JOULES

FREQUENCY: 2950 BLOWS/min

**V1** 

PRESSURE: 6-8 BAR

### **S38 SHORT VI**



ANTI-VIBRATION: NOZZLE HEAD

WEIGHT: 3.8 KG LENGTH: 52 CM

### **\$38 SHORT V2**





### **S38 MEDIUM V1**





### **\$38 LONG V1**





# **KIT** Floor Removing

SCRAP'AIR 38® delivered in a handy-box including:

- 1 carpet knife (01) / Ref. 07030200
- 2 extra steel blades (02) / Ref. 07030225
- 1 chisel 5 CM [03] / Ref. 07030256
- 1 in-line oiler (06) / Ref. 08020061
- 1 oil-can [08] / Ref. 08020020
- 1 protection kit (09) / Ref. 05030024

# **KIT** Floor Demolition

SCRAP'AIR 38® delivered in a handy-box including:

- 1 chisel 4 CM [04] / Ref. 07030180
- 1 chisel 2.5 CM (05) / Ref. 07030175
- 1 pointed chisel (10) / Ref. 07030161
- 1 in-line oiler (06) / Ref. 08020061
- 1 oil-can (08) / Ref. 08020020
- 1 protection kit (09) / Ref. 05030024



07060506	KIT FLOOR REMOVING S38 V1 LONG
07070700	KIT FLOOR REMOVING S38 V2 LONG
07070731	KIT FLOOR DEMOLITION S38 V1 LONG
07070730	KIT FLOOR DEMOLITION S38 V2 LONG

# SCRAP'AIR 55°

## **FLOOR WORKS**

WATERPROOFING / RESIN / EXCAVATION / ETC...

AIR CONSUMPTION: 300L/min
TOOL SHANK: HEXAGONAL 18 mm

POWER: 35 JOULES

FREQUENCY: 2250 BLOWS/min

PRESSURE: 6-8 BAR





### S55 LONG VI



**\$55 LONG V2** 



## **KIT** Floor Removing

#### SCRAP'AIR 55® delivered in a handy-box including:

- 1 carpet knife [01] / Ref. 07030234
- 2 extra steel blades [02] / Ref. 07030225
- 1 delta knife15 CM courbe [03] / Ref. 07030240
- 1 asphalt chisel (04) / Ref. 07030245
- 1 chisel 5 CM (05) / Ref. 07030255
- 1 in-line oiler (06) / Ref. 08020061
- 1 Fitting claw (07) / Ref. 08020009
- 1 oil-can [08] / Ref. 080200020
- 1 protection kit (09) / Ref. 05030024

## **KIT** Floor Demolition

#### SCRAP'AIR 55® delivered in a handy-box including:

- 1 delta knife 15 CM courbe (03) / Ref. 07030240
- 1 chisel 5 CM [05] / Ref. 07030255
- 1 pointed chisel (10) / Ref.07030285
- 1 in-line oiler (06) / Ref. 08020061
- 1 Fitting claw (07) / Ref. 08020009
- 1 oil-can (08) / Ref. 080200020
- 1 protection kit [09] / Ref. 05030024

07070014	KIT <b>ROOFING REMOVING</b> S55 <b>V1</b> LONG			
07070710	KIT <b>ROOFING REMOVING</b> S55 <b>V2</b> LONG			
07070012	KIT <b>FLOOR DEMOLITION</b> S55 <b>V1</b> LONG			

















KIT FLOOR DEMOLITION S55 V2 LONG

## **\$55** T-GRIP **V2**





SCRAP'AIR 55® delivered in a handy-box including:

- 1 spade15 CM / Ref. 07030164
- 1 chisel 5 CM / Ref. 07030255
- 1 in-line oiler / Ref. 08020061
- 1 Fitting claw / Ref. 08020009
- 1 oil-can / Ref. 080200020
- 1 protection kit / Ref. 05030024













ANTI-VIBRATION: NOZZLE HEAD & HANDLE WEIGHT: 5.7 KG





KIT EXCAVATION S55 V2 T-GRIP

KIT **EXCAVATION** S55 **V2** D-GRIP





# SAF'DIG: SOIL PICK

EXCAVATION IN URBAN AREA NEEDS SECURED WORK CONDITIONS DUE TO GAS AND ELECTRIC PIPELINES.

AIR CONSUMPTION: 2000 L/min

TUBE DIAMETER: 3 cm

PRESSURE: BETWEEN 7 -10 BAR
ELECTRIC ISOLATION: 40 000 VOLT

## **BENEFITS**

Handling : appreciated asset on constructions sites, length only 125cm.

Lightweight: only 2.6kg for optimal work conditions.

Easy to use and powerful: the pneumatic jet is driven by the actuation of the secured trigger.

Effective up to 10cm. The guard cone protects the user against flying debris.

Resistance: long lifespan due to the quality of the material. Tube with high electric isolation, robust grip, with no moving part, ...

Uncompressing and digging soils using the power of the pneumatic jet from soil pick Saf'Dig allow:

- Pipelines release without damage,
- Users protection against risks linked to gas and electricity,
- Time saving and high reactivity in urban constructions sites.




07090000

SOIL PICK SAF'DIG



# 25 TOOLS MADE IN GERMANY



FOR SCRAP'AIR 24,36,38 HEXAGONAL SHANK 14 MM		Light demolition	Chiseling	Removing of very resistant coatings	Renovation	Rmoving of crumbling coatings	Removing of soft coatings	Rock work	Cutting of bitumi- nous coatings	Wood working	Excavation	Tracing grooves	Removing parquet
07030161	01. Pointed chisel hexagonal	х											
07030175	<b>02. Chisel</b> 2.5 cm	Х	X	Х									
07030156	<b>03. Chisel</b> 3.5 cm with carbide teeth											Х	
07030180	<b>04. Chisel</b> 4 cm		X	Х	X	х							
07030256	<b>05. Chisel</b> 5 cm			Х	Х	х			Х				
07030266	<b>06. Chisel</b> 8 cm			Х	X	Х			Х				
07030135	<b>07. Delta knife</b> 8 cm straight			Х	Х	Х	Х		Х				
07030142	<b>08. Delta knife</b> 8 cm straight sharpened									Х			
07030145	<b>09. Delta knife</b> 12 cm straight				Х	Х	Х						
07030150	10. Delta knife 12 cm curved				X	х	Х						
07030147	11. Delta knife 15 cm curved				Х	Х	Х						
07030200	12. Carped knife steel						Х						
07030225	13. Blade steel						х						
07030209	14. Blade Toothed												Х
07030195	15. Stocker holder							Х					
07030191	<b>16. Stocker</b> 16 steel teeth							X					



# HIGH QUALITY INSERTION TOOLS

The quality of our tools (Made in Germany) as well as their steady development is very appreciated by professionals:

- Tempered steel with high resistance for a longer life.
- -Grit blasted surface to protect against oxidation.
- -Hexagonal shank to limit the wear out.

# The intuitive plug-in allows an easier, safer and faster changing of the tools.

According to his needs, the user will adapt the choice to the requested impact angle. Several applications for a single device.

08. Asphalt knife 8 cm

**09. Spade** 15 cm x 30 cm

- Low angle of impact with large and bent knives, to protect the base and remove crumbling materials.
- Wide angle of attack, thin and straight chisel to penetrate into the base (medium) and strip the hard and resistant materials.





Χ

Χ

# COMPRESSORS & ACCESSORIES

## **COMPRESSOR**

#### **MABI B3800**

TANK: 2x11L FLOW: 315L/MIN MAX PRESSURE: 7 BAR POWER: 2.2 KW WEIGHT: 75 KG SIZE: 90 X 65 X 81 CM

Reminder: Scrap'air air needs: Scrap'Air S24: 210 L/MIN Scrap'Air S36: 250 L/MIN Scrap'Air S38: 280 L/MIN Scrap'Air S55: 300 L/MIN

Recommended for: 6 - 8 BAR

.08010150



### **PNEUMATIC**

### **HOSE 25M**



Air hose with fast brass fittings - pressure max 20 bars.

08020003

# IN-LINE

### **OILER**



Inline oiler with fast fittings (connect inline oiler after Scrap'air small hose)

08020061



### **HEALTH**

The SCRAP'AIR® range offers a high reduction of vibration with its system patented by MABI®.

Musculoskeletal disorders (MSDs) cause most of the occupational diseases. Referring to these problems, many informing campaigns have been mobilized during the last years.

Improving working conditions by using the right device (light, ergonomic and with low vibration) minimizes the risk of occupational diseases.

The European Council Directives 2002/44/EC have fixed minimum vibration levels affecting hands and arms.

Thus, MABI ® developed, in partnership with the UTBM, one of the most important French school for technical engineers, a new concept patented in 2010: a second anti-vibration system integrated in the handle, completing the one in the nozzle head.

The vibration has been reduced considerably. For example our SCRAP'AIR® 36 at the 3-dimensional tests executed by the French National Development-Center (LNE) resulted with a maximum vibration level of 6.05m/s².


The graph opposite compares our Scrap' Air® 36 with other tools. (Extracted from a consultative guide of good practice "GUIDE DE BONNES PRATIQUES" in order to apply the European Council Directives 2002/44/ EC related to the minimal hygiene and safety requirements for the employees' exposure to physical acting risks such as vibration).

### **EFFICIENCY**

Tests we performed together with our customers on various construction sites confirm without any doubt the enormous level of efficiency given by the alliance between ergonomics and the power of our SCRAP'AIR®.

#### ESTIMATION OF RISKS

Comparison of vibration levels of common and authorised tools in the European Market.





### **COMFORT**

The results of MABI® observing users at work has allowed ergonomics and design to optimize comfort in the new range.

The concept of the new grip is a direct result of ergonomics that favours an optimal working position for comfort of the back, shoulders, elbow and wrist

#### Angles for comfort







## EUROPEAN LEADER, PRESENT IN MORE THAN 30 COUNTRIES AROUND THE WORLD.







3 PATENTS FILING

50 YEARS EXPERIENCE

MABI SARL

ZAC DES SAULES - 90400 BOTANS FRANCE +33 (0)3 84 56 17 44 - bidaux@mabi.fr

www.mabi.fr www.scrapair.com

